


**BLUE-H-B-THIT1 : DIGITAL THERMO HYGROMETER WITH EXT. TEMP SENSOR****HOW TO READ THE COMMERCIAL OFFER**

Section - 1: Select the device you require based on the Accuracy and Warranty period

Section - 2: Select the specialized accessories to make the better usage experience

Section - 3: Select the type of calibration required Direct NABL ISO/IEC 17025 or from MIIGO ONLINE LLP

Section - 4: Mobile Application (FREE & Default) + Option to go for PC software

Section - 5: Option to go for BLUE-DOCK - multi-device Application

Section - 6: Terms & Conditions

**FOLLOWED BY A SPECIFICATIONS COMPARISON SHEET - FOR YOU TO REVIEW WITH OTHER MODELS/MAKE**

WE CLAIM OUR PRODUCT IS **10 TIMES SUPERIOR** TO ITS COMPETITOR  
REFER THE COMPARISON SHEET AND EVALUATE IF OUR STATEMENT IS TRUE



**ROOM HUMIDITY TEMPERATURE**  
**&**  
**FREZZER OR DEEP FREZZER**

**A 3 CHANNEL MONITOR WITH AUDIBLE + VISUAL + JUDGEMENT TIME ALARM**

SECTION – 1: WE HAVE 3 OPTIONS BASED ON ACCURACY & WARRANTY  
PICK THE ONE THAT YOU NEED

ECONOMICAL VERSION	STANDARD VERSION	PREMIUM VERSION
<div>MIIGO BLUE-H-B-THIT1-E-1</div> <div>+</div> <div>MIIGO-MI-DTC-6.5-200-3-1</div> <div>MAKE: MIIGO ONLINE LLP, INDIA</div> <div>HSN CODE: 90258090</div> <div>3 Ch. Digital Thermo Hygrometer with INT. <b>Economical Version</b> %RH-TEMP Sensor having an accuracy of ± 2.5% RH (10-90%), beyond ±3%, ± 0.4 °C (0 to 60 °C), Res 0.01 %RH and 0.01 °C, and 1 no <b>external temperature sensor</b> having an accuracy of ± 0.3°C (-50 to 150 °C), Res 0.01 ( -50.00 to 99.99) beyond 0.1 °C</div> <div>-----</div> <div>PRICE - INR 11,750 / USD - 147</div> <div>-----</div> <div><b>OPTIONAL -</b></div> <div><b>WITH 5 YEARS WARRANTY</b></div> <div>PRICE - INR 17,625 / USD - 220</div>	<div>MIIGO BLUE-H-B-THIT1-S-1</div> <div>+</div> <div>MIIGO-MI-DTC-6.5-200-3-1</div> <div>MAKE: MIIGO ONLINE LLP, INDIA</div> <div>HSN CODE: 90258090</div> <div>3 Ch. Digital Thermo Hygrometer with INT. <b>Standard Version</b> %RH-TEMP Sensor having an accuracy of ± 1.8% RH (10-90%), beyond ±2%, ± 0.3 °C (0 to 60 °C), Res 0.01 %RH and 0.01 °C, and 1 no <b>external temperature sensor</b> having an accuracy of ± 0.3°C (-50 to 150 °C), Res 0.01 0.01 °C ( -50.00 to 99.99) beyond 0.1 °C</div> <div>-----</div> <div>PRICE - INR 13,750 / USD - 172</div> <div>-----</div> <div><b>OPTIONAL -</b></div> <div><b>WITH 5 YEARS WARRANTY</b></div> <div>PRICE - INR 20,625 / USD - 258</div>	<div>MIIGO BLUE-H-B-THIT1-P-1</div> <div>+</div> <div>MIIGO-MI-DTC-6.5-200-3-1</div> <div>MAKE: MIIGO ONLINE LLP, INDIA</div> <div>HSN CODE: 90258090</div> <div>3 Ch. Digital Thermo Hygrometer with INT. <b>Premium Version</b> %RH-TEMP Sensor having an accuracy of ± 1% RH (20-70%), beyond ±1.8%, ± 0.2 °C (0 to 60 °C), Res.0.01 %RH and 0.01 °C, and 1 no <b>external temperature sensor</b> having an accuracy of ± 0.3°C (-50 to 150 °C), Res 0.01 0.01 °C ( -50.00 to 99.99) beyond 0.1 °C</div> <div>-----</div> <div>PRICE - INR 18,750 / USD - 234</div> <div>-----</div> <div><b>OPTIONAL -</b></div> <div><b>WITH 5 YEARS WARRANTY</b></div> <div>PRICE - INR 28,125 / USD - 352</div>

SECTION – 2: SELECT THE SPECIALIZED ACCESSORIES TO MAKE THE BETTER  
USAGE EXPERIENCE

OPTIONAL ( GENERALLY RECOMNDED WITH EXTERNAL SENSORS)			
<div><div><div>PART CODE: MI-ADOP-IND</div><div>MAKE: REPUTED BRAND</div><div>HSN CODE: 85044030</div></div><div></div><div>DESCRIPTION: 5 VDC USB Power Adapter including charging circuit (applicable for India).</div><div>NOTE: Strongly recommended with external sensor options</div></div>	INR	USD	
	1,250	16	
OPTIONAL			
<div><div><div>PART CODE: MI-MGRING</div><div>MAKE - REPUTED BRAND</div><div>HSN CODE: 85051900</div></div><div></div><div>DESCRIPTION: Magnetic Ring to mount the instrument on the metal panel for screwless mounting - 1 nos. Applicable for BLUE-H, BLUE-W Series</div></div>	IINR	USD	
	200	3	

SECTION – 3: SELECT THE TYPE OF CALIBRATION REQUIRED DIRECT NABL  
ISO/IEC 17025 OR FROM MIIGO ONLINE LL


%RH-TEMP CALIBRATION FROM DIRECT NABL ACCREDITED LAB – ISO/ IEC 17025	
<p><b>PART CODE-</b> CAL-NABL-RHT-P (PREMIUM VER.) <b>SAC CODE:</b> 998346</p> <p><b>DESCRIPTION:</b> 10 Points Humidity and 10 points Temperature Calibration of P Version Humidity Temperature Sensor (internal/external type) from NABL ACCREDITED LAB – ISO/ IEC 17025</p> <p><b>UNIT PRICE:</b> INR 5,000 / USD 63</p>	<p><b>PART CODE-</b> CAL-NABL-RHT-E/S (ECONOMICAL &amp; STANDARD VER.) <b>SAC CODE:</b> 998346</p> <p><b>DESCRIPTION:</b> 5 Points Humidity and 5 points Temperature Calibration of E/S Version Humidity Temperature Sensor (internal/external type) from NABL ACCREDITED LAB – ISO/ IEC 17025</p> <p><b>UNIT PRICE:</b> INR 3,000 / USD 38</p>

ALTERNET OPTION: FROM MIIGO (MASTER TRACEABLE TO ISO/IEC 17025)	
<p><b>PART CODE-</b> CAL-MIIGO-RHT-P (PREMIUM VER.) <b>SAC CODE:</b> 998346</p> <p><b>DESCRIPTION:</b> 10 Point Humidity and 10 Point Temperature Calibration of P Version Humidity Temperature Sensor (internal/external type) from MIIGO ONLINE LLP – MASTER TRACEABLE TO NABL ACCREDITED LAB</p> <p><b>UNIT PRICE:</b> INR 4,000 / USD 50</p>	<p><b>PART CODE-</b> CAL-MIIGO-RHT-E/S (ECONOMICAL &amp; STANDARD VER.) <b>SAC CODE:</b> 998346</p> <p><b>DESCRIPTION:</b> 5 Point Humidity and 5 Point Temperature Calibration of E/S Version Humidity Temperature Sensor (internal/external type) from MIIGO ONLINE LLP – MASTER TRACEABLE TO NABL ACCREDITED LAB</p> <p><b>UNIT PRICE:</b> INR 2,000 / USD 25</p>

EXT. TEMPERATURE CALIBRATION FROM DIRECT NABL ACCREDITED LAB – ISO/ IEC 17025	
<p><b>PART CODE-</b> CAL-NABL-T5-801200 <b>SAC CODE:</b> 998346</p> <p><b>DESCRIPTION:</b> Calibration of Temperature sensor (internal/external type) from NABL ACCREDITED LAB – ISO/ IEC 17025</p> <p>5-point Temperature based on instrument range (Maximum range coverage from -80 to 1200 °C) – Based on the scope availability of the LAB, calibration points may change</p> <p>Note – Additional points other than a mentioned point will cost extra. Contact us for the price.</p> <p><b>UNIT PRICE:</b> INR 2,000 / USD 25</p>	
ALTERNET OPTION: FROM MIIGO (MASTER TRACEABLE TO ISO/IEC 17025)	
<p><b>PART CODE-</b> CAL-MIIGO-T5-801200 <b>SAC CODE:</b> 998346</p> <p><b>DESCRIPTION:</b> Calibration of Temperature sensor (internal/external type) from MIIGO ONLINE LLP – MASTER TRACEABLE TO NABL ACCREDITED LAB</p> <p>5-point Temperature based on instruments range (Maximum range coverage from -80 to 1200 °C)</p> <p>Note – Additional points other than a mentioned point will cost extra. Contact us for the price.</p> <p><b>UNIT PRICE:</b> INR 1,500 / USD 19</p>	



## SELECT - 4: MOBILE APPLICATION (FREE & DEFAULT) + OPTIONAL PC SOFTWARE



- Online Data Update
  - Data Report Generation
  - Alarm
  - Battery Health
- + information for multiple units together



## MIIG-BLUE MOBILE APPLICATION HELPS TO PERFORM


- View online live data and alarms.
- Download alarm data and logged data in .pdf or .csv format
- Perform multipoint calibration and drift adjustment

# 100% REPLACEMENT OF PC SOFTWARE

MIIG BLUE MOBILE APPLICATION – FREE OF COST	QTY	INR	USD
<p><b>PART CODE:</b> MIIG-BLUE</p> <p><b>MAKE:</b> MIIGO ONLINE LLP</p> <p><b>SAC CODE:</b> 998346</p> <p><b>DESCRIPTION:</b> Android-based mobile application.</p> <ul style="list-style-type: none"> <li>• Password protected.</li> <li>• Fast programming of multiple devices with template copy option</li> <li>• Online REAL-TIME monitoring of multiple devices within the vicinity</li> <li>• Data Downloading from multiple devices</li> <li>• Grouping of multiple devices</li> <li>• Adding company details</li> <li>• Adding of User's Company Logo</li> <li>• Report generation in PDF (optional CSV)</li> <li>• MKT Report ( wherever applicable)</li> <li>• 3-5-10 points drift adjustment &amp; Calibration</li> <li>• DFU (Version upgradation and remote service assistance)</li> <li>• Allocation of repeater / WI-FI networking ( for WI-FI devices)</li> <li>• Many more</li> </ul>	1	FREE	FREE


BLUE - DESK PC APPLICATION - ONLINE DATA MONITORING SOFTWARE

BLUE-DESK PROFESSIONAL / 21 CFR PART 11 COMPLIANT SOFTWARE	QTY	INR	USD
<div><div><div>MODEL: BLUE-DESK-PROF</div><div>MAKE: MIIGO ONLINE LLP</div><div>SAC CODE: 998346</div></div><div><div>DESCRIPTION:</div><div>PC-based Professional Software with standard and complex functionalities. Small area monitoring &amp; especially for Validation service providers.</div><div><div><div>• Password protected.</div><div>• Program units as per requirement</div><div>• Online REAL-TIME monitoring of multiple devices within the vicinity (using the refresh button)</div><div>• Data downloading from devices</div><div>• Grouping of multiple devices</div><div>• Adding company details and logo</div><div>• Report generation of up to 50 devices in one go (UPCOMING)</div><div>• MKT Report (for applicable devices)</div><div>• Reports in Excel &amp; PDF format</div></div></div><div><div>NOTE - Each software module comes with 120 channels. An additional 120 channels can be upgraded by paying 50% of the software price.</div><div><div>PC SYSTEM REQUIREMENT: (AT CUSTOMER’S SCOPE)</div><div><div>• OPERATING SYSTEM: Windows 10 / 11</div><div>• 8GB RAM with 20GB free space</div><div>• Minimum 128 GB SSD (preferable) or 240 GB HDD</div><div>• If Bluetooth dongle (if Bluetooth driver is not installed in the system)</div></div></div><div><div>-----</div><div><div>UPGRADE TO 21 CFR SOFTWARE (INR 1,50,000 / USD 1,875)</div><div><div>• Reports only on non-editable PDF</div><div>• Audit Trail</div></div></div><div><div>AVAILABLE FROM NOV-2024</div></div></div></div></div></div>	1	70,000/-	875





## SELECT – 5: OPTION TO GO FOR BLUE-DOCK – MULTI-DEVICE APPLICATION

BLUE-DOCK MULTI-UTILITY DEVICE	QTY	INR	USD
<p><b>MIIGO BLUE-DOCK-TFT-4.3-H</b> <b>MAKE: MIIGO ONLINE LLP</b> <b>HSN CODE: 90258090</b></p> <div></div> <p>Hand-held battery-operated 4.3" TFT touchscreen display device.</p> <ul style="list-style-type: none"><li>- Programming of 50 devices in 5 groups</li><li>- View live data and alarm on screen for connected devices</li><li>- Direct PDF report of statistical values for up to 50 Hygrometers without any software</li><li>- Direct PDF report of data logging for up to 50 data loggers without any software</li><li>- Optional BLUE-DESK-PROF PC software to download data in PDF + Excel format</li><li>- Optional BLUE-DESK-CFR PC software to download data in Non-editable PDF format</li><li>- LOUD buzzer</li></ul> <p>The power adapter is to be purchased separately (compulsory)</p> <p>Applicable for BLUE-H, BLUE-P, BLUE-S, BLUE-W SERIES ONLY BLUETOOTH VERSIONS</p>	1	45,000/-	563

## BE IT FOR THERMO HYGROMETER

## SUPER FAST WORK EXECUTION

## BE IT FOR DATA LOGGERS

COMMERCIAL TERMS AND CONDITIONS

STANDARD DISCOUNT ON QUANTITY: • 1 – 20 QTY 10%      • 21 TO 50 QTY – 15%      • 51 AND ABOVE – 20%

STANDARD SUPPLY comes with a 1-meter cable.  
• 1/5 years Warranty Certificate (As per order)  
• Manufacturer’s Standard Test Certificate (free of cost) and Calibration Certificate (As per order).

<p><b>TERMS &amp; CONDITIONS – WITHIN INDIA</b></p> <ul style="list-style-type: none"><li>• Payment Terms – 100% advance along with PO.</li><li>• Price – Ex-works Hyderabad.</li><li>• 18% GST extra.</li><li>• Material readiness within 10 – 20 working days.</li><li>• Freight and P&amp;F -Rs.300/- or 2% of the PO value (whichever is higher)</li><li>• Insurance @ customer scope.</li><li>• Order cancellation charges 30% if cancelled 7 days before delivery schedule, otherwise 80% if cancelled less than 7 days.</li></ul>	<p><b>TERMS &amp; CONDITIONS – OUTSIDE INDIA</b></p> <ul style="list-style-type: none"><li>• Payment Terms – 100% advance along with PO.</li><li>• Price – Ex-works Hyderabad.</li><li>• Insurance, Freight, Taxes, Duties, Bank Charges / any other charges at the customer's scope.</li><li>• Material readiness within 10 – 20 working days.</li><li>• Order cancellation charges 30% if cancelled 7 days before delivery schedule, otherwise 80% if cancelled less than 7 days.</li></ul>
--	---

**WHAT IS 1/5 YEAR OF ‘MIIG-WARRANTY’?**  
We offer 1 / 5 years warranty support on repair or replacement against manufacturing defects with the below-mentioned terms and conditions.

**WARRANTY TERMS & CONDITIONS**

- MIIG-WARRANTY is applicable against manufacturing defects only and limited to the product manufactured by us. This will not be applicable against mechanical damage or defects due to any other reasons.
- Magnetic Ring / Battery / Cable/ Power Adapter or any other consumable items – no warranty.
- External Sensors of any type – 6 months against manufacturing defects (not mechanical damage).
- Warranty is applicable only against hardware parts. This won’t be applied to issues related to Mobile Application / Software operation (which comes free of cost). It will be as per the plan purchased by the customer.

**WARRANTY CLAIM PROCEDURE:**

- If warranty replacement/repair is required, the Customer has to send and pick up the material (post-inspection and repair/replacement) from Hyderabad Office. Freight, P&F, Insurance / Customs charges, and any kinds of taxation or other expenses shall be within the scope of the customer.
- Warranty Handling Inspection Charges of 10% of the product value or \$ 15 (outside India) or Rs. 1,000/- per unit (within India), whichever is higher will be charged against each unit sent for repair or replacement purposes along with applicable taxation. This is a mandatory charge, irrespective of the result of the inspection result
- Parts damaged due to manufacturing defects will be replaced/ repaired free of cost, else will be charged as applicable. A formal offer for parts will be shared with the customer for approval.
- Above charges are to be paid in advance. Upon payment of Warranty Handling Inspection Charges, Invoice will be sent to you.
- Copy of warranty Certificate + Copy of Warranty Handling Charges Invoice + Details of issue faced with the instrument have to be clearly mentioned in the Warranty Claim Form. (English language only). These 3 documents should be with the faulty instruments – while sending for repair/replacement.
- Testing time 2 to 10 working days (Post receipt of instruments and the 3 documents).

NOTE: For repair or replacement customer has to send the instruments to our facility only. However, if a site visit is required by the customer, site visit charges shall be applicable over and above WHIC (Warranty Handling Inspection Charges).

**SITE VISIT CHARGES –**

- WITHIN INDIA: If a site visit is required, it will be charged Rs.15,000/- + Applicable Tax on a Per man-day basis. To & Fro expense, Lodging boarding, and local commutation at customer scope.
- OUTSIDE INDIA-A: If a site visit is required, it will be charged, \$200 + Applicable Tax on a per man-day basis. VISA and other processing charges, To & Fro expense, Lodging boarding, and local commutation at customer scope.
- OUTSIDE INDIA-B If a Local Miigo Representative is available in that country, Charges \$150 + Applicable Tax on a Per man-day basis. To & Fro expense, Lodging boarding, and local commutation at customer scope.

Our warranty is limited up to the performance of functions mentioned in our catalogue/manual. We do not accept any responsibility beyond it, in whatsoever manner. We do not accept any responsibility for any kind of hazards/losses due to the use of our manufactured products directly or indirectly.

**PO IS TO BE PLACED TO**  
MIIGO ONLINE LLP  
B-501, A.V. INFO PRIDE,  
MEDIPALLY, WARANGAL HIGHWAY, HYDERABAD – 500098  
LANDMARK – OPP – SAMPOORNA / CROMA ELECTRONIC

P: +91-9398693085 | E: sales@miigo.online | W: www.miigo.online

GSTIN: 36ABOFM8067G1ZQ      PAN NO: ABOFM8067G  
MSME CODE – UDYAM-TS-20-0007846      IEC CODE – ABOFM8067G

**BANK ACCOUNT DETAILS**  
Account Name : MIIGO ONLINE LLP  
Account Type : Current Account Account No : 5945059854  
Bank : Kotak Mahindra Bank Branch : Nacharam Branch  
IFSC Code : KKBK0007470      SWIFT CODE : KKBKINBB

Hope our offer is in line with your requirement. Looking forward to the Purchase order

Best Regards,



**PROSENJIT**  
TECHNICAL SALES & MARKETING

+91-9398693085

sales@miigo.online

+Click to WhatsApp

www.miigo.online



**WE ARE 10 TIMES SUPERIOR  
COMPARE TO ANY OF OUR COMPETITOR**

**KINDLY REFER TO THE BELOW COMPARISON  
AND EVALUATE - IF THE CLAIM IS JUSTIFIED**





WE CLAIM OUR PRODUCT IS **10 TIMES SUPERIOR** TO ITS COMPETITOR  
REFER THE COMPARISON SHEET AND EVALUATE IF OUR STATEMENT IS TRUE

WARRANTY & POST SALES SERVICE	Y/N
<ul style="list-style-type: none"><li>5 years MIIG-WARRANTY (optional 1-year warranty).</li><li>In most cases - due to the harshness of the application the sensor element goes bad. @ MIIGO user can replace the element - no need to buy a new unit.</li><li>Component-level repair and replacement options increase the ROI for management</li></ul>	C O M P E T I T O R
<p>As MIIGO is directly making all the products from scratch, component level repairing, replacement of element - everything is possible. Now, whenever there is a damage witnessed by user, it required a service call -</p> <ul style="list-style-type: none"><li>NO MORE BUYING NEW DEVICE</li><li>DIFICULTIES ON GETTING BUDGET APPROVAL</li><li>NO MORE DOCUMENTATION ON CHANGE CONTROL</li><li>NO MORE LONG WAITING TIME AND MULTI-STAGE APPROVAL PROCESS</li><li>BETTER HIGH ROI FOR MANAGEMENT</li></ul>	
ONLINE DEVICE UPGRADATION & REPAIR	
<ul style="list-style-type: none"><li>Any kind of manufacturing-related issues (electronic and software) can be repaired online. Each device is equipped with a Dynamic DFU chip. It saves time + money by avoiding sending the unit to the manufacturer</li><li>Users can upgrade their device with the latest version using this Dynamic DFU chip. It helps users to get updated with the latest version</li></ul>	
<p>THIS IS THE LATEST ULTRA ADVANCE TECHNOLOGY - MIGHT BE ONLY WITH MIIGO IT ENSURES - NO ERROR OPERATION AND ALEAYS UPTODATE WITH LATEST VERSION</p>	
CALIBRATION MANAGEMENT	
<ul style="list-style-type: none"><li>On-site 3-5-10-point Drift adjustment (complete accuracy graph correction) and calibration feature ensure maintaining drift-free accuracy</li><li>No need to discard the unit as drift occurred beyond the accepted accuracy criterion. Users can copy the master instruments' accuracy on the test instruments throughout the sensor life - by using the 3-5-10 points drift correction feature</li><li>The calibration reminder feature doesn't allow the user to forget the calibration due date</li><li>Non-editable calibration date and value stores feature stops "FALSE CALIBRATION CERTIFICATE" practice</li></ul>	
<p>THE ARTIFICIAL INTELIGANCE SOFTWARE IMPROVE THE ACCURACY OF SENSOR AT A LEVEL CLOSE TO YOUR MASTER.</p>	
<p>OFFSET ADJUSTMENT IS A HISTORY - THE NEW TECHNOLOGY REPAIR THE COMPLETE GRAPH OF THE SENSOR THUS IT WORKS YEAR AFTER YEAR WITH ULTRA PREMIUM ACCURACY</p>	
<p>SO STOP DISCARDING UNITS IF DRIFT IS BEYOND ACCURACY LIMIT</p>	

ACCURACY – RESOLUTION – RANGE	Y/N
<p><b>MIIGO OFFERS 3 DIFFERENT ACCURACY LEVEL – (INTERNAL)</b></p> <p><b>PREMIUM VERSION</b> Humidity: Accuracy: ± 1% RH (20–70%), beyond ±1.8%, Range: 0 – 100%RH, Resolution 0.01 RH Temperature: Accuracy: ± 0.2 °C, Resolution: 0.01, Range: 0 to 60 °C Dewpoint.Accuracy: Calculated Value Resolution: 0.01, Ran: –40 to 70 °C atmospheric dp</p> <p><b>STANDARD VERSION</b> Humidity: Accuracy: ± 1.8% RH (10–90%), beyond ±2%, Range: 0 – 100%RH, Resolution 0.01 RH, Temperature: Accuracy: ± 0.3 °C, Resolution: 0.01, Range: 0 to 60 °C Dewpoint.Accuracy: Calculated Value Resolution: 0.01, Ran: –40 to 70 °C atmospheric dp</p> <p><b>ECONOMICAL VERSION</b> Humidity: Accuracy: ± 2.5% RH (10–90%), beyond ±3%, Range: 0 – 100%RH, Resolution 0.01 RH, Temperature: Accuracy: ± 0.4 °C, Resolution: 0.01, Range: 0 to 60 °C Dewpoint Accuracy: Calculated Value Resolution: 0.01, Ran: –40 to 70 °C atmospheric dp</p> <p><b>NOTE: External Temperature Sensor is having Accuracy of ± 0.3 °C, Ran: – 50 to 150°C with a Resolution of: 0.01 (–50 to 99.99), beyond 0.1 °C</b></p> <p><b>MOST ACCURATE DIGITAL THERMO HYGROMETER CUM THERMO METER</b></p>	C O M P E T I T O R
<p><b>DISPLAY MANAGEMENT</b></p> <ul style="list-style-type: none"><li>• 51(H) X 66 (W) mm large LCD clear display</li><li>• Min–Max–Avg value for all parameters</li><li>• The display programming feature helps the user define the working parameters on the display and remove unwanted parameters from the display</li><li>• Full–screen LOW BAT – alarm helps users not to forget the replacement battery on time</li><li>• The last 15 alarms (FIFO) on the Display itself – for instant alarm function checking</li><li>• Each parameter value representation with large to small toggle function for a long–distance viewing experience</li><li>• Multiple on–board different types of alarms display help users to take corrective actions</li><li>• Data refresh rate 7 sec (optional 2 sec)</li></ul> <p><b>A WIDESCREEN PROGRAMMABLE DISPLAY MADE MIIGO PRODUCTS NOT JUST USERFRENDLY RATHER ITS THE MOST ADVANCED OPTION AMOUNG ANY OF IT’S COMPETITOR</b></p>	
<p><b>ALARM MANAGEMENT</b></p> <ul style="list-style-type: none"><li>• Each parameter has 2 pre–alarm + 2 real alarm options. It help the user to take precautions once the pre–alarm rings</li><li>• Alarm for all parameters can be set together and functions individually</li><li>• Audible, Visual alarms for each parameter</li><li>• Judgement time alarm helps users to define intelligent time functions to avoid false alarms</li><li>• Online alarm and battery notification on Mobile Applications, PC Applications</li><li>• The last 15 alarms (FIFO) on the Display itself – for instant alarm function checking</li></ul> <p><b>AUDIBLE + VISUAL +JUDGEMENT TIME ALARM</b></p> <p><b>4 ALARM AGAINST EACH PARAMETER AND ONLINE NOTIFICATION OVER MOBILE APPLICATION, PC SOFTWARE AND OVER DISPLAY – MAKES THIS DEVICE A GREAT CHOICE.</b></p> <p><b>PRE ALARM HELPS TO STOP THE DEVIATION TO HAPPEN</b></p>	



MEMORY MANAGEMENT	Y/N
<ul style="list-style-type: none"><li>60 days stat value (MAX-MIN-AVG) stored on FIFO basis. Can be downloaded in PDF/CSV via Mobile App / BLUE-DOCK/ PC Software</li></ul> <p>MAY BE THE ONLY THERMO HYGROMETER THAT HAS CAPABILITY TO GENERATE PDF REPORT</p> <p>THIS PRACTICE HELPS QA / ENGINEERING DEPARTMENT TO MAINTAIN NON EDITABLE REPORT AND NO ONE CAN TAMPER IT WITH ANY KIND OF ADJUSTMENT</p>	C O M P E T I T O R
<ul style="list-style-type: none"><li>The last 15 alarms' values are stored on a FIFO basis (on the display + memory). Can be downloaded in PDF/CSV via Mobile App / BLUE-DOCK/ PC Software</li></ul> <p>MAYBE THE ONLY THERMO HYGROMETER THAT HAS THE CAPABILITY TO GENERATE ALARM NOTIFICATIONS WITH DATE AND TIME IN PDF FORMAT</p> <p>THIS PRACTICE HELPS THE ENGINEERING DEPARTMENT TO ADJUST THE HVAC SYSTEM TO OPTIMIZE THE DESIRED TEMPERATURE &amp; HUMIDITY LEVEL THROUGHOUT THE MEASUREMENT PROCESS AND SAVES UNNECESSARY CONSUMPTION OF ELECTRICITY OR UNWANTED ALARMS DURING THE PROCESS</p>	
ONLINE WIRELESS MONITORING – NO NEED TO PRESS DEVICE KEYD PHYSICALLY	
<ul style="list-style-type: none"><li>Users can scan the device from outside, using a mobile application or BLUE-DOCK device. No need to go near to the device and physically press the key for writing down MAX-MIN-AVG value. SAVES TIME AND MONEY</li><li>Optional manual mode is also available for retrieving data by pressing the key physically - similar to the standard regular model</li></ul> <p>THE AUTOMATIC STAT RECORDING FEATURE NOT ONLY MAKE THE PROCESS QUICK – IT ALSO HELPS TO STOP MANIPULATION OF DATA OR ERROR DUE TO MANUAL DATA ENTREE – NOW EVERY DATA IS TRUE DATA</p>	
SOFTWARE & MOBILE APPLICATION	
<ul style="list-style-type: none"><li>MIIG-BLUE Mobile application to work via Android mobile</li><li>BLUE-DESK PC Application for direct or working via BLUE-DOCK (UPTO 50 DEVICE IN ONE GO)</li></ul> <p>ALLOWS USERS TO PERFORM TASKS IN A EASIER WAY AND EVEN IN BULK</p>	
REPORT MANAGEMENT	
<ul style="list-style-type: none"><li>Option to select all parameters or selected parameters on the report</li><li>Standard Tabular Data + Alarm report in PDF (optional CSV) from Mobile / PC Application</li><li>Up to 50 devices group report from BLUE-DESK PC software (upcoming)</li></ul> <p>TABULAR, ALARMS REPORT + GROUP REPORT (UPCOMING)</p> <p>YOU NAME THE FEATURE – MIIGO OFFERS EVERYTHING THAT YOU NEED</p>	
AUDIT SUPPORT TOOL	
<ul style="list-style-type: none"><li>The device, Mobile App and PC – all are password-protected. No unauthorized entry.</li><li>AUDIT-friendly programmable display features help users to select the required display parameters as per the SOP</li></ul> <p>WITH MIIGO – FACING AUDIT FROM DEVICE TO SOFTWARE</p> <p>EVERYTHING IS ADVANCED AND FLAWLESS</p>	

POWERFUL ACCESSORIES	Y/N
<ul style="list-style-type: none"><li>• Magnetic ring for screwless mounting</li><li>• BLUE-DOCK is used to program/ report download/ online monitoring of data and alarms for up to 50 devices together. Multi-device operation saves time in large extended and offer a ease of work</li><li>• MI-ADOP power adapter supports critical applications with direct 230VAC operation. In case of power failure switch to internal battery power</li></ul>	C O M P E T I T O R
STRONG ACCESSORIES HELPS USERS TO PERFORM REGUAR ACTIVITIES IN A BETTER WAY	
CALIBRATION CERTIFICATE FROM ISO/IEC – 17025 / NABL ACCREDITED LAB"	
<ul style="list-style-type: none"><li>• Users may opt for 5/10 point %RH &amp; Temp calibration certificate from MIIGO ONLINE LLP</li><li>• Users may opt for 5/10 point %RH &amp; Temp calibration certificate from Direct ISO/IEC – 17025 / NABL ACCREDITED LAB</li></ul>	
USING MIIG-BLUE MOBILE APPLICATION – USER CAN NEARLY COPY THE MASTER INSTRUMENTS ACCURACY IN THE TEST INSTRUMENT. THE 10 POINTS DRIFT ADJUSTMENT FEATURE CORRECT THE ENTIRE RANGE GRAPH INSTEAD OF OF OFFSET ON SINGLE POINT.	
BLUE-DOCK – A MULTI-UTILTY DEVICE	
<p>Hand-held battery-operated 4.3" TFT touchscreen display device.</p> <ul style="list-style-type: none"><li>• Programming of 50 devices in 5 groups</li><li>• View live data and alarm on screen for connected devices</li><li>• Direct PDF report of statistical values for up to 50 Hygrometers without any software</li><li>• Direct PDF report of data logging for up to 50 data loggers without any software</li><li>• Optional BLUE-DESK-PROF PC software to download data in PDF + Excel format</li><li>• Optional BLUE-DESK-CFR PC software to download data in Non-editable PDF format</li><li>• Buzzer for alarms</li></ul>	
AN ULTIMATE HANDHELD TOOL FOR MULTI-DEVICE APPLICATION ON DAILY USE BASIS SWITCH FROM 8 HOURS HARDWORK TO 1 HOUR SMARTWORK	

EXPLORE DIFFERENT CONFIGURATIONS

WE HAVE ANSWER FOR  
ALL YOUR APPLICATIONS


PLEASE REFER NEXT PAGE



# DIFFERENT APPLICATIONS **BUT** SINGLE SOURCE SOLUTION

**MIIGO BLUE-H-B-THI:** Digital Thermo Hygrometer with Ultra High Accuracy of  $\pm 1\%$  RH,  $\pm 0.2\text{ }^{\circ}\text{C}$ , Resolution -  $0.01\%$  RH /  $0.01\text{ }^{\circ}\text{C}$ , 60 days stat memory, 15 alarm on display (FIFO), Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application]

[CLICK TO KNOW ALL 30+ FEATURES](#)




**MIIGO BLUE-H-B-THE + MO-RHX Sensor (MAX 3 METER CABLE):** Digital Thermo Hygrometer with Ultra High Accuracy of  $\pm 1\%$  RH,  $\pm 0.2\text{ }^{\circ}\text{C}$ , Resolution -  $0.01\%$  RH /  $0.01\text{ }^{\circ}\text{C}$ , 60 days stat memory, 15 alarm on display (FIFO), Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application]

[CLICK TO KNOW ALL 30+ FEATURES](#)

**[IN-OUT] MIIGO BLUE-H-B-THIE + MO-RHX Sensor:** Digital Thermo Hygrometer with Ultra High Accuracy of  $\pm 1\%$  RH,  $\pm 0.2\text{ }^{\circ}\text{C}$ , Resolution -  $0.01\%$  RH /  $0.01\text{ }^{\circ}\text{C}$ , 60 days stat memory, 15 alarm on display (FIFO), Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application].

[CLICK TO KNOW ALL 30+ FEATURES](#)



**MIIGO BLUE-H-B-THIT1 + MI-DTC Sensor:** Digital Thermo Hygrometer with Ultra High Accuracy of  $\pm 1\%$  RH,  $\pm 0.2\text{ }^{\circ}\text{C}$ , &  $\pm 0.3\text{ }^{\circ}\text{C}$  (Ext Temp Sensor). Resolution -  $0.01\%$  RH /  $0.01\text{ }^{\circ}\text{C}$  /  $(0.1/0.01)$ , 60 days stat memory, 15 alarms on display (FIFO), Audible + Visual Alarms, 10-point drift-adjustment & calibration feature [Real-time monitoring over Mobile/PC Application]

[CLICK TO KNOW ALL 30+ FEATURES](#)

**MIIGO BLUE-H-B-THIT2 + MI-DTC Sensor:** Digital Thermo Hygrometer with Ultra High Accuracy of  $\pm 1\%$  RH,  $\pm 0.2\text{ }^{\circ}\text{C}$ , &  $\pm 0.3\text{ }^{\circ}\text{C}$  (Ext Temp Sensor). Resolution -  $0.01\%$  RH /  $0.01\text{ }^{\circ}\text{C}$  /  $(0.1/0.01)$ , 60 days stat memory, 15 alarms on display (FIFO), Audible + Visual Alarms, 10-point drift-adjustment & calibration feature [Real-time monitoring over Mobile/PC Application].

[CLICK TO KNOW ALL 30+ FEATURES](#)



**MIIGO BLUE-H-B-T1 + MI-DTC Sensor:** Digital Thermometer with Ultra High Accuracy of  $\pm 0.3\text{ }^{\circ}\text{C}$  (Ext Temp Sensor). Resolution  $(0.1/0.01)$ , Range  $-50$  to  $150\text{ }^{\circ}\text{C}$ , 60 days stat memory, 15 alarms on display (FIFO), Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application].

[CLICK TO KNOW ALL 25+ FEATURES](#)

**MIIGO BLUE-H-B-T2 + MI-DTC Sensor:** Digital Thermometer with Ultra High Accuracy of  $\pm 0.3\text{ }^{\circ}\text{C}$  (Ext Temp Sensor). Resolution  $(0.1/0.01)$ , Range  $-50$  to  $150\text{ }^{\circ}\text{C}$ , 60 days stat memory, 15 alarms on display (FIFO), Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application].

[CLICK TO KNOW ALL 25+ FEATURES](#)



**PROSENJIT**

TECHNICAL SALES & MARKETING

