



The diagram illustrates the MIIGO system components. On the left is the **INDICATOR**, a white rectangular device with a blue Bluetooth symbol and the text "BLUETOOTH ENABLED". The screen displays a battery level icon, "EXT", a large "1", a temperature reading of "140.3 °C", and a time/date display "20:38 ((M)) MIIGO". A black cable connects the indicator to the **SENSOR**, which is a small white probe with a black cable. On the right is a close-up of the **TEMPERATURE** display, showing a battery level icon, "EXT", a large "1", a temperature reading of "200.3 °C", and a time/date display "00-MM 22-03 ((M)) MIIGO".

PRICE - INR 22,125 / USD - 277



SECTION – 2: SELECT THE SPECIALIZED ACCESSORIES TO MAKE THE BETTER USAGE EXPERIENCE

OPTIONAL (GENERALLY RECOMNDED WITH EXTERNAL SENSORS)		
<div><div><div><div>PART CODE: MI-ADOP-IND</div><div>MAKE: REPUTED BRAND</div><div>HSN CODE: 85044030</div></div><div></div><div><div>DESCRIPTION: 5 VDC USB Power Adapter including charging circuit (applicable for India).</div><div>NOTE: Strongly recommended with external sensor options</div></div></div></div>	INR	USD
	1,250	16
OPTIONAL		
<div><div><div><div>PART CODE: MI-MGRING</div><div>MAKE – REPUTED BRAND</div><div>HSN CODE: 85051900</div></div><div></div><div><div>DESCRIPTION: Magnetic Ring to mount the instrument on the metal panel for screwless mounting</div><div>- 1 nos. Applicable for BLUE-H, BLUE-W Series</div></div></div></div>	IINR	USD
	200	3

SECTION – 3: SELECT THE TYPE OF CALIBRATION REQUIRED DIRECT NABL ISO/IEC 17025 OR FROM MIIGO ONLINE LL

EXT. TEMPERATURE CALIBRATION FROM DIRECT NABL ACCREDITED LAB – ISO/ IEC 17025
<div><div><div><div>PART CODE– CAL-NABL-T5-801200</div><div>SAC CODE: 998346</div></div><div><div>DESCRIPTION: Calibration of Temperature sensor (internal/external type) from NABL ACCREDITED LAB – ISO/ IEC 17025</div><div>5-point Temperature based on instrument range (Maximum range coverage from -80 to 1200 °C)</div><div>- Based on the scope availability of the LAB, calibration points may change</div><div>Note - Additional points other than a mentioned point will cost extra. Contact us for the price.</div><div>UNIT PRICE: INR 2,000 / USD 25</div></div></div></div>
ALTERNET OPTION: FROM MIIGO (MASTER TRACEABLE TO ISO/IEC 17025)
<div><div><div><div>PART CODE– CAL-MIIGO-T5-801200</div><div>SAC CODE: 998346</div></div><div><div>DESCRIPTION: Calibration of Temperature sensor (internal/external type) from MIIGO ONLINE LLP – MASTER TRACEABLE TO NABL ACCREDITED LAB</div><div>5-point Temperature based on instruments range (Maximum range coverage from -80 to 1200 °C)</div><div>Note - Additional points other than a mentioned point will cost extra. Contact us for the price.</div><div>UNIT PRICE: INR 1,500 / USD 19</div></div></div></div>

SELECT – 4: MOBILE APPLICATION (FREE & DEFAULT) + OPTIONAL PC SOFTWARE



- Online Data Update
- Data Report Generation
- Alarm
- Battery Health + information for multiple units together

MIIG-BLUE MOBILE APPLICATION HELPS TO PERFORM


- View online live data and alarms.
- Download alarm data and logged data in .pdf or .csv format
- Perform multipoint calibration and drift adjustment

100% REPLACEMENT OF
PC SOFTWARE


MIIG BLUE MOBILE APPLICATION – FREE OF COST	QTY	INR	USD
<p>PART CODE: MIIG-BLUE MAKE: MIIGO ONLINE LLP SAC CODE: 998346</p> <p>DESCRIPTION: Android-based mobile application.</p> <ul style="list-style-type: none">• Password protected.• Fast programming of multiple devices with template copy option• Online REAL-TIME monitoring of multiple devices within the vicinity• Data Downloading from multiple devices• Grouping of multiple devices• Adding company details• Adding of User's Company Logo• Report generation in PDF (optional CSV)• MKT Report (wherever applicable)• 3-5-10 points drift adjustment & Calibration• DFU (Version upgradation and remote service assistance)• Allocation of repeater / WI-FI networking (for WI-FI devices)• Many more	1	FREE	FREE

BLUE - DESK PC APPLICATION - ONLINE DATA MONITORING SOFTWARE

BLUE-DESK PROFESSIONAL / 21 CFR PART 11 COMPLIANT SOFTWARE	QTY	INR	USD
<div><div>MODEL: BLUE-DESK-PROF</div><div>MAKE: MIIGO ONLINE LLP</div><div>SAC CODE: 998346</div></div> <div><div>DESCRIPTION:</div><div>PC-based Professional Software with standard and complex functionalities. Small area monitoring & especially for Validation service providers.</div><div><div><div>• Password protected.</div><div>• Program units as per requirement</div><div>• Online REAL-TIME monitoring of multiple devices within the vicinity (using the refresh button)</div><div>• Data downloading from devices</div><div>• Grouping of multiple devices</div><div>• Adding company details and logo</div><div>• Report generation of up to 50 devices in one go (UPCOMING)</div><div>• MKT Report (for applicable devices)</div><div>• Reports in Excel & PDF format</div></div></div><div>NOTE - Each software module comes with 120 channels. An additional 120 channels can be upgraded by paying 50% of the software price.</div><div><div>PC SYSTEM REQUIREMENT: (AT CUSTOMER’S SCOPE)</div><div><div>• OPERATING SYSTEM: Windows 10 / 11</div><div>• 8GB RAM with 20GB free space</div><div>• Minimum 128 GB SSD (preferable) or 240 GB HDD</div><div>• If Bluetooth dongle (if Bluetooth driver is not installed in the system)</div></div></div><div><div>UPGRADE TO 21 CFR SOFTWARE (INR 1,50,000 / USD 1,875)</div><div><div>• Reports only on non-editable PDF</div><div>• Audit Trail</div></div></div><div>AVAILABLE FROM DEC-2024</div></div>	1	70,000/-	875



SELECT – 5: OPTION TO GO FOR BLUE-DOCK – MULTI-DEVICE APPLICATION

BLUE-DOCK MULTI-UTILITY DEVICE	QTY	INR	USD
<div><p>PART CODE: MIIGO BLUE-DOCK-TFT-4.3-H</p><p>MAKE: MIIGO ONLINE LLP</p><p>HSN CODE: 90258090</p></div> <div></div> <div><p>Hand-held battery-operated 4.3" TFT touchscreen display device.</p><ul style="list-style-type: none">- Programming of 50 devices in 5 groups- View live data and alarm on screen for connected devices- Direct PDF report of statistical values for up to 50 Hygrometers without any software- Direct PDF report of data logging for up to 50 data loggers without any software- Optional BLUE-DESK-PROF PC software to download data in PDF + Excel format- Optional BLUE-DESK-CFR PC software to download data in Non-editable PDF format- LOUD buzzer<p>The power adapter is to be purchased separately (compulsory)</p><p>Applicable for BLUE-H, BLUE-P, BLUE-S, BLUE-W SERIES ONLY BLUETOOTH VERSIONS</p></div>	1	45,000/-	563

BE IT FOR THERMO HYGROMETER

SUPER FAST WORK EXECUTION

BE IT FOR DATA LOGGERS

COMMERCIAL TERMS AND CONDITIONS

STANDARD DISCOUNT ON QUANTITY: • 1 – 20 QTY 10% • 21 TO 50 QTY – 15% • 51 AND ABOVE – 20%

- STANDARD SUPPLY comes with a 1-meter cable.
- 1/5 years Warranty Certificate (As per order)
 - Manufacturer’s Standard Test Certificate (free of cost) and Calibration Certificate (As per order).

<p>TERMS & CONDITIONS – WITHIN INDIA</p> <ul style="list-style-type: none">• Payment Terms – 100% advance along with PO.• Price – Ex-works Hyderabad.• 18% GST extra.• Material readiness within 10 – 20 working days.• Freight and P&F -Rs.300/- or 2% of the PO value (whichever is higher)• Insurance @ customer scope.• Order cancellation charges 30% if cancelled 7 days before delivery schedule, otherwise 80% if cancelled less than 7 days.	<p>TERMS & CONDITIONS – OUTSIDE INDIA</p> <ul style="list-style-type: none">• Payment Terms – 100% advance along with PO.• Price – Ex-works Hyderabad.• Insurance, Freight, Taxes, Duties, Bank Charges / any other charges at the customer's scope.• Material readiness within 10 – 20 working days.• Order cancellation charges 30% if cancelled 7 days before delivery schedule, otherwise 80% if cancelled less than 7 days.
--	---

WHAT IS 1/5 YEAR OF ‘MIIG-WARRANTY’?

We offer 1 / 5 years warranty support on repair or replacement against manufacturing defects with the below-mentioned terms and conditions.

WARRANTY TERMS & CONDITIONS

- MIIG-WARRANTY is applicable against manufacturing defects only and limited to the product manufactured by us. This will not be applicable against mechanical damage or defects due to any other reasons.
- Magnetic Ring / Battery / Cable/ Power Adapter or any other consumable items – no warranty.
- External Sensors of any type – 6 months against manufacturing defects (not mechanical damage).
- Warranty is applicable only against hardware parts. This won’t be applied to issues related to Mobile Application / Software operation (which comes free of cost). It will be as per the plan purchased by the customer.

WARRANTY CLAIM PROCEDURE:

- If warranty replacement/repair is required, the Customer has to send and pick up the material (post-inspection and repair/replacement) from Hyderabad Office. Freight, P&F, Insurance / Customs charges, and any kinds of taxation or other expenses shall be within the scope of the customer.
- Warranty Handling Inspection Charges of 10% of the product value or \$ 15 (outside India) or Rs. 1,000/- per unit (within India), whichever is higher will be charged against each unit sent for repair or replacement purposes along with applicable taxation. This is a mandatory charge, irrespective of the result of the inspection result
- Parts damaged due to manufacturing defects will be replaced/ repaired free of cost, else will be charged as applicable. A formal offer for parts will be shared with the customer for approval.
- Above charges are to be paid in advance. Upon payment of Warranty Handling Inspection Charges, Invoice will be sent to you.
- Copy of warranty Certificate + Copy of Warranty Handling Charges Invoice + Details of issue faced with the instrument have to be clearly mentioned in the Warranty Claim Form. (English language only). These 3 documents should be with the faulty instruments – while sending for repair/replacement.
- Testing time 2 to 10 working days (Post receipt of instruments and the 3 documents).

NOTE: For repair or replacement customer has to send the instruments to our facility only. However, if a site visit is required by the customer, site visit charges shall be applicable over and above WHIC (Warranty Handling Inspection Charges).

SITE VISIT CHARGES –

- WITHIN INDIA: If a site visit is required, it will be charged Rs.15,000/- + Applicable Tax on a Per man-day basis. To & Fro expense, Lodging boarding, and local commutation at customer scope.
- OUTSIDE INDIA-A: If a site visit is required, it will be charged, \$200 + Applicable Tax on a per man-day basis. VISA and other processing charges, To & Fro expense, Lodging boarding, and local commutation at customer scope.
- OUTSIDE INDIA-B If a Local Miigo Representative is available in that country, Charges \$150 + Applicable Tax on a Per man-day basis. To & Fro expense, Lodging boarding, and local commutation at customer scope.

Our warranty is limited up to the performance of functions mentioned in our catalogue/manual. We do not accept any responsibility beyond it, in whatsoever manner. We do not accept any responsibility for any kind of hazards/losses due to the use of our manufactured products directly or indirectly.

PO IS TO BE PLACED TO
MIIGO ONLINE LLP
B-501, A.V. INFO PRIDE,
MEDIPALLY, WARANGAL HIGHWAY, HYDERABAD – 500098
LANDMARK – OPP – SAMPOORNA / CROMA ELECTRONIC

P: +91-9398693085 | E: sales@miigo.online | W: www.miigo.online

GSTIN: 36ABOFM8067G1ZQ PAN NO: ABOFM8067G
MSME CODE – UDYAM-TS-20-0007846 IEC CODE – ABOFM8067G

BANK ACCOUNT DETAILS
Account Name : MIIGO ONLINE LLP
Account Type : Current Account Account No : 5945059854
Bank : Kotak Mahindra Bank Branch : Nacharam Branch
IFSC Code : KKBK0007470 SWIFT CODE : KKBKINBB

Hope our offer is in line with your requirement. Looking forward to the Purchase order

Best Regards,



PROSENJIT
TECHNICAL SALES & MARKETING

+91-9398693085

sales@miigo.online

+Click to WhatsApp

www.miigo.online

**WE ARE 2-3 TIMES SUPERIOR
COMPARE TO ANY OF OUR COMPETITOR**

**KINDLY REFER TO THE BELOW COMPARISON
AND EVALUATE - IF THE CLAIM IS JUSTIFIED**



WE CLAIM OUR PRODUCT IS **2-3 TIMES SUPERIOR** TO ITS COMPETITOR
REFER THE COMPARISON SHEET AND EVALUATE IF OUR STATEMENT IS TRUE

WARRANTY & POST SALES SERVICE	Y/N
<ul style="list-style-type: none">5 years MIIG-WARRANTY (optional 1-year warranty).In most cases - due to the harshness of the application the sensor element goes bad. @ MIIGO user can replace the element - no need to buy a new unit.Component-level repair and replacement options increase the ROI for management	C O M P E T I T O R
<p>As MIIGO is directly making all the products from scratch, component level repairing, replacement of element - everything is possible. Now, whenever there is a damage witnessed by user, it required a service call -</p> <ul style="list-style-type: none">NO MORE BUYING NEW DEVICEBUDGET APPROVALNO MORE DOCUMENTATION ON CHANGE CONTROLNO MORE LONG WAITING TIME AND MULTI-STAGE APPROVAL PROCESSVERY HIGH ROI FOR MANAGEMENT	
ONLINE DEVICE UPGRADATION & REPAIR	
<ul style="list-style-type: none">Any kind of manufacturing-related issues (electronic and software) can be repaired online. Each device is equipped with a Dynamic DFU chip. It saves time + money by avoiding sending the unit to the manufacturerUsers can upgrade their device with the latest version using this Dynamic DFU chip. It helps users to get updated with the latest version	
<p>THIS IS THE LATEST ULTRA ADVANCE TECHNOLOGY - MIGHT BE ONLY WITH MIIGO IT ENSURES - NO ERROR OPERATION AND ALEAYS UPTODATE WITH LATEST VERSION</p>	
CALIBRATION MANAGEMENT	
<ul style="list-style-type: none">On-site 3-5-10-point Drift adjustment (complete accuracy graph correction) and calibration feature ensure maintaining drift-free accuracyNo need to discard the unit as drift occurred beyond the accepted accuracy criterion. Users can copy the master instruments' accuracy on the test instruments throughout the sensor life - by using the 3-5-10 points drift correction featureThe calibration reminder feature doesn't allow the user to forget the calibration due dateNon-editable calibration date and value stores feature stops "FALSE CALIBRATION CERTIFICATE" practice	
<p>THE ARTIFICIAL INTELIGANCE SOFTWARE IMPROVE THE ACCURACY OF SENSOR AT A LEVEL CLOSE TO YOUR MASTER.</p>	
<p>OFFSET ADJUSTMENT IS A HISTORY - THE NEW TECHNOLOGY REPAIR THE COMPLETE GRAPH OF THE SENSOR THUS IT WORKS YEAR AFTER YEAR WITH ULTRA PREMIUM ACCURACY</p>	
<p>SO STOP DISCARDING UNITS IF DRIFT IS BEYOND ACCURACY LIMIT</p>	

ACCURACY – RESOLUTION – RANGE		Y/N
<div>1 Ch. Temperature Data Logger with External Sensor having an<ul style="list-style-type: none">Accuracy: $\pm 0.3^{\circ}\text{C}$Range: -50 to 150°C,Resolution: 0.01 (-50.00 to 99.99) beyond 0.1°C</div> <div>WITNESS THE ACCURATE DIGITAL TEMPERATURE DATA LOGGER WITH PREMIUM ACCURACY AND MASTER DEVICE LIKE RESOLUTION OF $0.01/0.1$</div>		C O M P E T I T O R
DISPLAY MANAGEMENT		
<ul style="list-style-type: none">$51(\text{H}) \times 66 (\text{W})$ mm large LCD clear displayMin-Max-Avg value for all parametersThe display programming feature helps the user define the working parameters on the display and remove unwanted parameters from the displayFull-screen LOW BAT - alarm helps users not to forget the replacement battery on timeThe last 15 alarms (FIFO) on the Display itself - for instant alarm function checkingEach parameter value representation with large to small toggle function for a long-distance viewing experienceMultiple on-board different types of alarms display help users to take corrective actionsData refresh rate 7 sec (optional 2 sec)		
A WIDESCREEN PROGRAMMABLE DISPLAY MADE MIIGO PRODUCTS NOT JUST USERFRIENDLY RATHER ITS THE MOST ADVANCED OPTION AMOUNG ANY OF IT’S COMPETITOR		
ALARM MANAGEMENT		
<ul style="list-style-type: none">Each parameter has 2 pre-alarm + 2 real alarm options. It help the user to take precautions once the pre-alarm ringsAlarm for all parameters can be set together and functions individuallyAudible, Visual alarms for each parameterJudgement time alarm helps users to define intelligent time functions to avoid false alarmsOnline alarm and battery notification on Mobile Applications, PC ApplicationsThe last 15 alarms (FIFO) on the Display itself - for instant alarm function checking		
AUDIBLE + VISUAL +JUDGEMENT TIME ALARM		
4 ALARM AGAINST EACH PARAMETER AND ONLINE NOTIFICATION OVER MOBILE APPLICATION, PC SOFTWARE AND OVER DISPLAY – MAKES THIS DEVICE A GREAT CHOICE.		
PRE ALARM HELPS TO STOP THE DEVIATION TO HAPPEN		

MEMORY MANAGEMENT	Y/N
<ul style="list-style-type: none">1 Channel with 40,000+ data point memory.High-speed Logging interval - 1 sec to 24 Hrs	C O M P E T I T O R
LARGE MEMORY WITH HIGH-SPEED LOGGING OPTION MAKES THIS DEVICE USEFUL FOR EVERY KIND OF CRITICAL ANALYSIS / VALIDATION PROCESS	
INSTANT ALARM UPDATE DURING VALIDATION – SAVES TIME & MONEY	
<ul style="list-style-type: none">"Online-Offline monitoring of current value, alarm, battery level, and data logging status via password-protected MIIG-BLUE Mobile application / BLLUE-DOCK Device / PC software	
MIIGO OFFERS HYBRID SOLUTION OF OFFLINE AS WELL ONLINE MONITORING FEATURES. BASED ON THE APPLICATION, THE USER MAY DECIDE ON THE USAGE PRACTICE	
Example: For an offline data logger, users will come to know about alarms after completion of the study of 1 day / 3 days / 7 days...Post study, once they finds the spikes - they need to perform validation again. Which costs money and time. MIIGO offers online solution, where users can capture pre-alarms / alarms during the study. Pre-alarms even helps user to rectify the issues immediately - instead waiting for the real alarms occurs.	
SOFTWARE & APPLICATIONS	
<ul style="list-style-type: none">MIIG-BLUE Mobile application for Bluetooth-enabled devices (21 CFR version upcoming)BLUE-DESK PC application for Bluetooth-enabled devices in Professional & 21 CFR version (upcoming)	
MOBILE APPLICATION & PC APPLICATION – DUAL SOLUTION	
REPORT MANAGEMENT	
<ul style="list-style-type: none">MKT Value in Report with Time-Period Selection Optionoption to select all parameters or selected parameters on the reportStandard Tabular Data + Alarm + Graph report in PDF (optional CSV) from Mobile / PC ApplicationUp to 50 devices group report from BLUE-DESK PC software (upcoming)Close-point and Average-Point report to save print expenses at large extent	
MKT + TABULAR, GRAPH, ALARMS REPORT + GROUP REPORT + CLOSE & AVERAGE POINT YOU NAME THE FEATURE – MIIGO OFFERS EVERYTHING THAT YOU NEED	
AUDIT SUPPORT TOOL	
<ul style="list-style-type: none">The device, Mobile App and PC – all are password-protected. No unauthorized entry.AUDIT-friendly programmable display features help users to select the required display parameters as per the SOP	
WITH MIIGO – FACING AUDIT FROM DEVICE TO SOFTWARE EVERYTHING IS ADVANCED AND FLAWLESS	

POWERFUL ACCESSORIES	Y/N
<ul style="list-style-type: none">• Magnetic ring for screwless mounting• BLUE-DOCK is used to program/ report download/ online monitoring of data and alarms for up to 50 devices together. Multi-device operation saves time in large extended and offer a ease of work• MI-ADOP power adapter supports critical applications with direct 230VAC operation. In case of power failure switch to internal battery power	C O M P E T I T O R
STRONG ACCESSORIES HELPS USERS TO PERFORM REGUAR ACTIVITIES IN A BETTER WAY	
CALIBRATION CERTIFICATE FROM ISO/IEC - 17025 / NABL ACCREDITED LAB"	
<ul style="list-style-type: none">• Users may opt for 5/10 point %RH & Temp calibration certificate from MIIGO ONLINE LLP• Users may opt for 5/10 point %RH & Temp calibration certificate from Direct ISO/IEC - 17025 / NABL ACCREDITED LAB	
USING MIIG-BLUE MOBILE APPLICATION - USER CAN NEARLY COPY THE MASTER INSTRUMENTS ACCURACY IN THE TEST INSTRUMENT. THE 10 POINTS DRIFT ADJUSTMENT FEATURE CORRECT THE ENTIRE RANGE GRAPH INSTEAD OF OF OFFSET ON SINGLE POINT.	
BLUE-DOCK - A MULTI-UTILTY DEVICE	
<p>Hand-held battery-operated 4.3" TFT touchscreen display device.</p> <ul style="list-style-type: none">• Programming of 50 devices in 5 groups• View live data and alarm on screen for connected devices• Direct PDF report of statistical values for up to 50 Hygrometers without any software• Direct PDF report of data logging for up to 50 data loggers without any software• Optional BLUE-DESK-PROF PC software to download data in PDF + Excel format• Optional BLUE-DESK-CFR PC software to download data in Non-editable PDF format• Buzzer for alarms	
AN ULTIMATE HANDHELD TOOL FOR MULTI-DEVICE APPLICATION ON DAILY USE BASIS SWITCH FROM 8 HOURS HARDWORK TO 1 HOUR SMARTWORK	

EXPLORE DIFFERENT CONFIGURATIONS

WE HAVE ANSWER FOR
ALL YOUR APPLICATIONS

DIFFERENT APPLICATIONS

SINGLE SOURCE SOLUTION

DIFFERENT APPLICATIONS **BUT** SINGLE SOURCE SOLUTION

MIIGO BLUE-H-A-THI: %RH-Temp Data Logger with Ultra High Acc. $\pm 1\%$ RH, ± 0.2 °C, Res. - 0.01 %RH / 0.01 °C, 60k memory, 1 sec to 24 hrs high-speed login, Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application]

[CLICK TO KNOW ALL 30+ FEATURES](#)



MIIGO BLUE-H-A-THE + MO-RHX Sensor (MAX 3 METER CABLE): %RH-Temp Data Logger (EXTERNAL SENSOR) with Ultra High Acc. of $\pm 1\%$ RH, ± 0.2 °C, Res. - 0.01 %RH / 0.01 °C, 60k memory, 1 sec to 24hrs high-speed login, Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application]

[CLICK TO KNOW ALL 30+ FEATURES](#)

MIIGO BLUE-H-A-THIE + MO-RHX Sensor: [IN-OUT] %RH-Temp Temperature Data Logger with Ultra High Acc. $\pm 1\%$ RH, ± 0.2 °C, Res. - 0.01 %RH / 0.01 °C, 78k memory, 1 sec to 24 hrs high-speed login, Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application]

[CLICK TO KNOW ALL 30+ FEATURES](#)



MIIGO BLUE-H-A-THIT1 + MI-DTC Sensor: %RH-Temp Data Logger with Ultra High Acc. of $\pm 1\%$ RH, ± 0.2 °C, Res. - 0.01 %RH / 0.01 °C + 1 no External Temp Sensor Acc: ± 0.3 °C, Range: -50 - 150°C, Res: 0.01 (-50 to 99.99) beyond 0.1°C, 72k memory, 1 sec to 24 high-speed login, Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application]

[CLICK TO KNOW ALL 30+ FEATURES](#)

MIIGO BLUE-H-A-THIT2 + MI-DTC Sensor: %RH-Temp Data Logger with Ultra High Acc. of $\pm 1\%$ RH, ± 0.2 °C, Res. - 0.01 %RH / 0.01 °C + 2 nos External Temp Sensor Acc: ± 0.3 °C, Range: -50 - 150°C, Res: 0.01 (-50 to 99.99) beyond 0.1°C, 78k memory, 1 sec to 24 high-speed login, Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application]

[CLICK TO KNOW ALL 30+ FEATURES](#)



MIIGO BLUE-H-A-T1 + MI-DTC Sensor: Temperature Data Logger with 1 no External Temp Sensor Acc: ± 0.3 °C, Range: -50 to 150°C, Res: 0.01 (-50 to 99.99) beyond 0.1°C, 40k memory, 1 sec to 24 high-speed login, Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application].

[CLICK TO KNOW ALL 25+ FEATURES](#)

MIIGO BLUE-H-A-T2 + MI-DTC Sensor: Temperature Data Logger with 2 no External Temp Sensor Acc: ± 0.3 °C, Range: -50 to 150°C, Res: 0.01 (-50 to 99.99) beyond 0.1°C, 40k memory, 1 sec to 24 high-speed login, Audible + Visual Alarms, 10-point drift adjustment & calibration feature [Real-time monitoring over Mobile/PC Application]

[CLICK TO KNOW ALL 25+ FEATURES](#)



PROSENJIT

TECHNICAL SALES & MARKETING



+91-9398693085



sales@miigo.online



+Click to WhatsApp



www.miigo.online